AIPHONE®

JF Series

Hands-free Video Intercom

Reliable Security

Simple Functionality

Sophisticated Design

JF Series

Up to **2** Doors &
3 Inside Stations

JF-DV
Door Station
H: 6-13/16" x W: 3-7/8" x D: 1-1/16"

2 Wires
PS-1820UL
Power Supply
18V DC, 2A

- **Affordable Color Video System**
  The JF Series has a color monitor to view images clearly and with greater detail, at black and white video prices.

- **Clear Identification Day & Night**
  In low light conditions, the video door station's built-in white LED illuminators will activate. Identify visitors even at night.

- **Both Hands-free & Push-to-Talk**
  When a call comes in, press the TALK button to begin hands-free VOX (voice operated exchange) communication.

- **LED Indicates Who is Speaking**
  The LED lights turn on when talking to visitors and turn off when listening, making communication easy.

- **Option Button**
  Controls an external device, such as an outdoor entrance light or secondary door release (with supplied option connector)
  NOTE: Not available on JF-2SD

Get started with Easy-to-Install Boxed Sets!

JFS-2AED Includes:
JF-DA - Door Station
JF-2MED - Inside Master Station
PS-1820UL - Power Supply

JFS-2AEDV Includes:
JF-DV - Door Station
JF-2MED - Inside Master Station
PS-1820UL - Power Supply

JFS-2AEDF Includes:
JF-DVF - Door Station
JF-2MED - Inside Master Station
PS-1820UL - Power Supply

Identify visitors safely *from inside*

JF-2MED
Master Station H: 7" x W: 5-5/16" x D: 1-1/16"

Expand inside...

4 Wires



JF-2HD
Sub Master Station
H: 7" x W: 5-5/16" x D: 1-1/16"

or

JF-2SD
Audio Only Sub Master Station
H: 6-5/16" x W: 3-9/16" x D: 1"

4 Wires

JF-2HD
Sub Master Station

or

JF-2SD
Audio Only Sub Master Station

Add a door station outside...

JF-DV
Door Station, zinc die cast, surface mount
H: 6-13/16" x W: 3-7/8" x D: 1-1/16"

JF-DA
Door Station, plastic cover, surface mount
H: 5-1/8" x W: 3-7/8" x D: 1-9/16"

JF-D-Audio Only
Door Station, plastic cover, surface mount
H: 5-1/8" x W: 3-7/8" x D: 1-1/8"

JF-DVF
Door Station, stainless steel, flush mount
H: 8-1/4" x W: 5-5/16" x D: 1-3/4"

Door Stations with Embedded Card Readers, stainless steel, flush mount
H: 11-5/8" x W: 5-3/4" x D: 1-7/8"

JF-DVF-HID
Embedded HID® ProxPoint® Plus proximity card reader

JF-DVF-HID-I
Embedded HID® iCLASS® smart card reader

JF-DVF-XP
Embedded stand-alone card reader & host controller

Markets

Commercial
Controlled entrances, interior offices, retail stores, parking garages, loading docks, and employee only areas.

Educational
Primary and secondary schools, college campuses, controlled entrances, service areas, and faculty rooms.

Government
Local, state, and federal government branches, courtroom security, airports, and embassies.

Healthcare
Hospitals, medical clinics, administrative offices, exam rooms, nurseries, pharmacies, and staff lounges.

Residential
Single-family residences, gated entries, housing developments, and multi-tenant buildings with individual entrances.

JF Series Features & Functions

DOOR 2 ▶ INSIDE 3

Simple. Sophisticated. Security.

Picture Memory
Automatically record images of visitors who press the CALL button or manually record images anytime by pressing the REC button.

Voice Memo
Easily record and play back a short message for someone or a reminder for yourself using the Voice Memo feature. Up to 3 voice memos at 15 seconds each can be recorded.

Easy Installation
Only 2 wires to connect between door station and master station.

All Call
Send a call out to all inside stations with 1-button answer back.

Auto LED illumination
When environmental conditions are dim, these LEDs automatically turn on so visitors can still be seen, even in the dark.

Custom Entrance Messages
Remain anonymous. Pre-record up to 2 audio messages to be manually played at a door station when anyone inside chooses not to be identified.

Monitor Activities Outside
Discreetly keep an eye out for suspicious behavior through the door station lens.

Hands-free Communication
Simply push the button for VOX communication or hold down for Push-to-Talk.



Boxed Sets & Accessories

Easy-to-Install Boxed Sets = 1 door + 1 master + 1 power supply

JFS-2AED: JF-DA, JF-2MED, PS-1820UL
JFS-2AEDV: JF-DV, JF-2MED PS-1820UL
JFS-2AEDF: JF-DVF, JF-2MED, PS-1820UL

AC-10S
Access Control Keypad, die cast to match JF-DV



MKW-P
1-Gang Mounting Plate for JF-DV

EL-12S
Electric Door Strike, 12V AC/DC, 200mA

RY-18L
Form C Door Release Relay
(1 per door)

RY-3DL
Selective Door Release Adaptor

MCW-S/A
Monitor Desk Stand

XP Kit
Includes keypad (XRP3), programming cards, and 10 blank entry cards

Distributed by:

IntelliSystems, Inc.
360-895-7995

GSA Schedule
GS-35F-0065L

ISO-14001 Certified
Aiphone Co. Ltd.

ISO 9001:2008 Certified
Aiphone Corp.

Deming Prize
Aiphone Co. Ltd.

AIPHONE®

1700 130th Ave. NE
Bellevue, WA 98005
Ph: (800) 692-0200
Fax: (425) 455-0071
www.aiphone.com

 # 91260 JF Series 06/2010